



Tintri VMstore™ T600 Series

Tintri VMstore™ smart storage is designed to address the needs of virtualization and cloud environments. Traditional storage is a mismatch for the specialized demands of virtualization, requiring complex configuration, significant over-provisioning and ongoing optimization and management. VMstore addresses the challenges traditional storage platforms pose when virtualizing critical server workloads such as Microsoft® Exchange®, Microsoft® SQL Server®, Microsoft® SharePoint®, Oracle® and SAP® databases as well as end-user desktops.

Built using the industry's first and leading application-aware storage architecture, the fourth-generation Tintri VMstore T600 series operates at the VM and vDisk level—seeing and adapting to rapidly-changing workloads, eliminating mundane storage management tasks and delivering substantial improvements in performance and density over legacy storage. Tintri VMstore T600 series is ideal for midsize and large enterprise virtual environments with a variety of workloads such as VDI deployments with mixed end-users, business-critical applications and development and test environments.

Whether you are an IT architect, administrator or manager, Tintri VMstore can help you:

Realize the full potential of virtualization with intelligent storage.

- Set-up in minutes with support for multiple VMware vCenter servers. Only deal with auto aligned VMs and vDisks, not LUNs and volumes—eliminate any complex configuration or ongoing tuning.
- Get the performance of flash with the economics of HDD with Tintri Flash First Design, delivering 99 percent of IO from flash.
- Serve hundreds of different types of VM workloads from a single VMstore with vDisk-level QoS and performance allocation—eradicate the impact from noisy neighbors on other virtual workloads.

Eliminate bottlenecks and troubleshooting overhead with infrastructure insight.

- Get a single view of all VMs stored and identify performance and capacity trends without dealing with underlying storage.
- Instantly identify performance hot spots at the hypervisor, network and storage levels with comprehensive performance visualization.
- Leverage Tintri Global Center to monitor and administer multiple VMstore systems and resident VMs from a single control pane.

Stay in control of virtualization environment while VMstore eliminates mundane storage management tasks.

- Protect individual VMs with customizable policies for VM-level instant space-efficient snapshots—eliminating the complexity of LUNs and volumes mapping.
- Deploy affordable WAN-efficient replication at the VM-level using as much as 95 percent less bandwidth with block-level global deduplication and compression over the wire.
- Create hundreds of high performance zero-space VM clones locally or remotely. Ideal for speeding up VDI deployments and for development/test workloads.

Highlights

Storage that Sees:

- Designed specifically for virtualized applications, VMstore automatically configures itself based on your environment and provides a complete end-to-end view of all virtual workloads.

Storage the Learns:

- VMstore maintains constant communication with your entire virtualized environment. Actively changing VMs are tracked and highlighted so you have status on a moment-by-moment basis.

Storage that Adapts:

- Because of unique per-VM data management and operations, VMstore can make adjustments including QoS and auto-alignment to maintain the best service for all virtualized applications.

“Compared to our previous storage, Tintri VMstore can run ten times the VMs in less than a tenth of the data center footprint, and reduce latency by 98 percent at the same time. They helped us realize a fundamental goal of virtualization: consolidating workloads and increasing resource utilization, both on hosts and on storage.”

—Mike Torgersen
vice president of IT at ParAccel

Tintri VMstore™ T600 Series


VMstore T650

Ideal for highly virtualized enterprise environments requiring performance and scalability for thousands of VMs

VMstore T620

Ideal for midsized and remote/ branch office environments requiring efficiency to handle hundreds of different types of VMs

Controller	Type	Gen 4 Dual Controller (active-standby) supporting Tintri OS 2.1 and up	
Capacity	Raw	49.32 TB (9x 480 GB SSD + 15x 3 TB HDD)	19.44 TB (6x 240 GB SSD + 18x 1 TB HDD)
	Usable	33.5 TB	13.5 TB
Networking	Management	Included: 2x 1GbE (RJ-45)	Included: 2x 1GbE (RJ-45)
	Data	Included: 2x 10GbE (SFP+ or 10GBASE-T)	Included: 2x 1GbE (RJ-45) Optional: 2x 10GbE (SFP+ or 10GBASE-T)
	Replication	Included: 2x 1GbE (RJ-45) Optional: 2x 1GbE (SFP)	Optional: 2x 1GbE (RJ-45) Optional: 2x 1GbE (SFP)
	Software functionality	Ethernet failover link aggregation, VLAN tagging, IP aliasing, LACP	
Physical specifications	Rackspace	4 RU rackmount	
	Dimensions (HxWxD)	7" (178 mm) x 19" (483 mm) x 28.5" (724 mm)	
	Weight	108 lbs/49.1 kg	106 lbs/48.2 kg
Power & environmental	Power	100-140 V — 7 A (nom) / 8.5 A (max) @ 50-60 Hz	100-140 V — 6 A (nom) / 7.5 A (max) @ 50-60 Hz
		180-240 V — 4 A (nom) / 4.8 A (max) @ 50-60 Hz	180-240 V — 3.5 A (nom) / 4.2 A (max) @ 50-60 Hz
		700 W (nom) / 1,000 W (max)	600 W (nom) / 800 W (max)
		Redundant hot swappable dual power supplies with a choice of NEMA or IEC plug types	
	Thermal	2,400 BTU (nom) / 3,415 BTU (max)	2,050 BTU (nom) / 2,730 BTU (max)
	Operating temperature	5 °C to 40 °C (41 °F to 104 °F)	
	Non-operating temperature	-40 °C to 70 °C (-40 °F to 158 °F)	
	Operating humidity	8% to 90% (non-condensing)	
	Non-operating humidity	5% to 95% (non-condensing)	
	Regulatory	Compliance	RoHS
Safety		CSA/EN/IEC 60950-1, GOST	
Emissions		FCC Class A, ICES-003 Class A, VCCI Class A	
Agency		CE, CSA, VCCI, CCC	
Product support	Administration	Web interface (https), KVM (console), SMTP for alerts	
	Support	Proactive support with automated phone home and case creation	
Virtualization SW support	Hypervisor	VMware vSphere 4.x and 5.x (NFS)	
	Desktop virtualization	VMware Horizon View and Citrix XenDesktop	





For More Information:
(866) 787-3271
Sales@PTSDcs.com



201 Ravendale Dr.,
 Mt. View CA 94043
 650.810.8200
 info@tintri.com | www.tintri.com

Tintri, the Tintri logo, Tintri VMstore, and FlashFirst are trademarks or registered trademarks of Tintri, Inc. All other trademarks or service marks are the property of their respective holders and are hereby acknowledged.
 ©2014 Tintri, Inc. All rights reserved. 140505